



<http://enterprise.astm.org>

ASTM 数据库入口网站



ASTM International

国际试验与材料协会

简报纲要

- ASTM 组织介绍
- 操作说明

Standard Collection 工业标准

Digital Library 数位图书馆



ASTM 组织简介

ASTM	American Society for Testing and Materials (国际试验与材料协会)
成立时间	1898 年
学会性质	非营利性的标准学术团体
网址	www.astm.org



19世纪中叶

木材 → 钢铁



19世纪中后期

劣质材料→从英国进口

材料规格→买卖合同



标准目的

- 减少成本
- 增加产品寿命
- 增加产品安全性
- 提高生活质量



ASTM 组织概况

- 主要制定**143**个专业领域的标准
- 有**35000**名会员，来自**100**多个国家的
- 生产者、消费者、政府机关和学术代表
- 制修订标准，不涉及认证





ASTM 范围

- 钢铁产品
- 有色金属
- 金属材料试验方法及分析程序
- 建设材料
- 石油产品、润滑剂及矿物燃料
- 油漆、相关涂料和芳香族化合物
- 纺织品及材料
- 塑料
- 橡胶
- 电气绝缘体和电子产品
- 水和环境技术
- 核能，太阳能
- 医疗设备和服服务
- 仪器仪表及一般试验方法
- 通用工业产品、特殊化学制品和消耗材料 制品和消耗材料



INTERNATIONAL

Standards Worldwide

Standard Collection

工业标准





登入「My Standards」 首页

登入网址：<http://enterprise.astm.org/>

The screenshot shows the MyASTM website interface. On the left is a navigation menu with links: ASTM Home, Society Review, Change Password, Membership, and Help. The main header includes the ASTM logo, a 'Logout' button, and navigation links for Site Map, Online Support, Contact, Web Policies, and IP Policy. A 'View Shopping Cart' button is also present. The main content area is titled 'MyASTM / MyChoices' and displays a welcome message for 'Hinton Information Services'. Below this, there are two red-bordered input fields: one labeled 'Please Select:' and another empty field. An arrow points from the text '订购单位名称及详细讯息' to the 'Please Select:' field, and another arrow points from the same text to the account information box on the right. The account information box contains the account number 'Account#: 466783' and the address: 'Hinton Information Services, Baiyang Road Pudong, Attn: Rita Teng, Rm 1102 #20 Alley 199, SHANGHAI 201204, China'. At the bottom, there are links for Site Map, Online Support, Contact, Privacy Policy, and IP Policy. An arrow points from the text '订购产品的名称' to the empty input field below the 'Please Select:' field.

订购单位名称及详细讯息

Account#: 466783

Hinton Information Services
Baiyang Road Pudong
Attn: Rita Teng
Rm 1102 #20 Alley 199
SHANGHAI 201204
China



订购产品的名称

著作权同意书



- MyChoices
- Change Password
- Help
- ASTM Home

[Logout](#) [Site Map](#) [Online Support](#) [Contact](#) [Web Policies](#) [IP Policy](#)

 [Print](#)  [View Shopping Cart](#)

MyASTM

ASTM License Agreement
IMPORTANT- READ THESE TERMS CAREFULLY BEFORE ENTERING THIS ASTM PRODUCT.
 By purchasing a subscription and clicking through this agreement, you are entering into a contract, and acknowledge that you have read this License Agreement, that you understand it and agree to be bound by its terms. If you do not agree to the terms of this License Agreement, promptly exit this page without entering the ASTM Product.

1. Ownership:
 This Product is copyrighted, both as a compilation and as individual standards, articles and/or documents ("Documents") by ASTM ("ASTM"), 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959 USA, except as may be explicitly noted in the text of the individual Documents. All rights reserved. You (Licensee) have no ownership or other rights in the ASTM Product or in the Documents. This is not a sale; all right, title and interest in the ASTM Product or Documents (in both electronic file and hard copy) belong to ASTM. You may not remove or obscure the copyright notice or other notices contained in the ASTM Product or Documents.

2. Definitions.
A. Types of Licensees:
(i) Individual User:

点击同意 →

[Yes, I agree with the License](#)

[No, I disagree with the License](#)
[Go to Contact ASTM Page](#)





标准搜索查询

Logout Site Map Online Support Contact Web Policies IP Policy

Print View Shopping Cart

ASTM Standards and Engineering Digital Library

Home Standards Journals Symposia Papers Manuals Terminology

ASTM / Digital Library / Standards

You have access to the following: Account#:466783

Search your MyStandards collection below:

Search Standards

Enter Designation or Keyword

Search Full Text

All Standards

Search Clear Form

Browse by Interest Area

Adhesives

Browse

Hinton Information Services
Baiyang Road Pudong
Attn: Rita Teng
Rm 1102 #20 Alley 199
SHANGHAI 201204
China

[What are Plus and Basic Subscriptions?](#)

[What is the Annual Book of ASTM Standards Online?](#)

Browse By ASTM Committee

Choose Committee

Browse

View the Alphanumeric Listing of Standards

A B C D E F G

View Additional Listings

Work Items
Withdrawn Standards
ISO Standards
UOP Standards

[Track Changes to Standards](#) | [Search Tips](#) | [Support Desk](#)



标准检索

Search your MyStandards collection below:

Search Standards

Enter Designation or Keyword

Search Full Text

All Standards

Browse by Interest Area

Adhesives

■ 搜寻


输入标准编号/关键词

现行标准.历史标准等

Standards committees offer one of the richest development environments anywhere.



浏览模式



Browse By ASTM Committee

Choose Committee

View the Alphanumeric Listing of Standards

A B C D E F G

View Additional Listings

- Work Items
- Withdrawn Standards
- ISO Standards
- UOP Standards

[Track Changes to Standards](#) | [Search Tips](#) | [Support Desk](#)

字母分类代码见「标准分类」

ISO – 国际标准组织

UOP – 环球石油产品科技公司

Withdrawn – 废止标准

Work Items – 标准草案





ASTM Standard Collection

工业标准类型

12,000+件的标准文件(Active Standards)

1. 试验方法 (Test Method)
2. 标准规范 (Standard Specification)
3. 标准规程 (Practice)
4. 标准术语 (Terminology)
5. 标准指南 (Guidance)
6. 标准分类 (Standard Classification)

标准分类

说明:

1. 标准序号后带字母M的为米制单位标准，不带字母M的为英制单位标准。
2. 制定年限后面括号内的年代为标准重新审定的年代。
3. a. b. c. 表示修订版次。

标准分类

4. 字母分类代码为：

A - 黑色金属

B - 有色金属（铜，铝，粉末冶金材料，导线等）

C - 水泥，陶瓷，混凝土与砖石材料

D - 其它各种材料（石油产品，燃料，低强塑料等）

E - 杂类（金属化学分析，耐火试验，无损试验，统计方法等）

F - 特殊用途材料（电子材料，防震材料，外科用材料等）


G - 材料的腐蚀，变质与降级

标准的编号方法

■ **ASTM**标准编号形式为：

标准代号 + 字母分类代码 + 标准序号 + 制定年份 + 标准英文名称

示例：



ASTM Standard



MyASTM / Digital Library / Standards

Welcome Hinton Information Services

You have access to the following:

Search your MyStandards collection below:

Search Standards

Enter Designation or Keyword

Search Full Text

All Standards

Search Clear Form

Browse by Interest Area

Adhesives

Browse

Browse By ASTM Committee

Choose Committee

Browse

View the Alphanumeric Listing of Standards


A B C D E F G

View Additional Listings

Work Items
Withdrawn Standards
ISO Standards
UOP Standards

Track Changes to Standards | Search Tips | Support Desk

Home | Site Map | Online Support | Contact | Web Policies | IP Policy



下载统计表

检索方式:

1. 搜寻

输入标准编号/关键词, 现行标准

2. 浏览

依主题. 兴趣类别查看



搜索

MyASTM / Digital Library / Standards

Welcome Hinton Information Services

View Subscription Usage

You have access to the following:

Account#:466783

Search your MyStandards collection below:

Hinton Information Services
Baiyang Road Pudong
Attn: Rita Teng
Rm 1102 #20 Alley 199
SHANGHAI 201204
China

Search Standards

Enter Designation or Keyword

A150

Search Full Text

All Standards

Search Clear Form

Browse by Interest Area

Adhesives

Browse

Browse By ASTM Committee

Choose Committee

Browse

Suggestions x

a150

Disable

[What are Plus and Basic Subscriptions?](#)

[What is the Annual Book of ASTM Standards Online?](#)

输入关键词或标准编号





搜寻结果

Search Results:

Active Standard(s): Result(s) 1 through 5 of 5 results.

Download Selected

All Versions	Designation	Title	Select PDF (s)
View	D5093-02 (2008)	Standard Test Method for Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring	<input type="checkbox"/>
... The other port must be located beneath the top port. A150 mm (6 in.) skirt, that is embedded into the soil, is provided along the edge of the ring. ...			
View	G105-02 (2007)	Standard Test Method for Conducting Wet Sand/Rubber Wheel Abrasion Tests	<input type="checkbox"/>
... 6.6 Analytical Balance—The balance used to measure the loss in mass of the test specimen shall have a sensitivity of 0.0001 g. A150 g capacity balance is ...			
View	E4-09A	Standard Practices for Force Verification of Testing Machines	<input type="checkbox"/>
... X1.5.1.2 A150 000 N capacity machine is to be verified from 300 N up to 150 000 N. The resolution should be determined at 300, 3000, and 30 000 N. ...			
View	E1715-01 (2008)	Standard Practice for An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient Record Systems	<input type="checkbox"/>
E1715 - 01(2008) Standard Practice for An Object-Oriented Model for Registration, Admitting, Discharge, and Transfer (RADT) Functions in Computer-Based Patient ...			
View	E1384-07	Standard Practice for Content and Structure of the Electronic Health Record (EHR)	<input type="checkbox"/>
E1384 - 07 Standard Practice for Content and Structure of the Electronic Health Record (EHR) data type, data views, EHR principles, electronic health record, master ...			

[Next 5](#)
[Show All Results](#)

Historical Standard(s): Result(s) through -1 of results.

Your search - A150 - did not match any documents.

Withdrawn Standard(s): Result(s) 1 through 1 of 1 results.

Download Selected

All Versions	Designation	Title	Select PDF (s)
View	A150-	Withdrawn 1940: Specification for High Tensile Strength Carbon-Silicon Steel Plates for Boilers and Other Pressure Vessel	<input type="checkbox"/>
A150- Withdrawn 1940: Specification for High Tensile Strength Carbon-Silicon Steel Plates for Boilers and Other Pressure Vessel. ASTM A150			
Show All Results			

Workitems Standard(s): Result(s) through -1 of results.

Your search - A150 - did not match any documents.

呈现所有相关的标准



点选需要的标准

View All Versions for D5093:

Click any Designation link to view a Document Summary Description.

Status	Document Designation and Title	Text Version	Download PDF(s)
Active	D5093-02(2008) Standard Test Method for Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring	View	<input type="checkbox"/>
Active + Redline	D5093-02(2008) Standard Test Method for Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring		<input type="checkbox"/>
Historical	D5093-90(1997) Standard Test Method for Field Measurement of Infiltration Rate Using a Double-Ring Infiltrometer with a Sealed-Inner Ring	View	<input type="checkbox"/>
Historical	D5093-02 Standard Test Method for Field Measurement of Infiltration Rate Using a Double-Ring Infiltrometer with a Sealed-Inner Ring	View	<input type="checkbox"/>

Download Selected Items



文章摘要



Logout Site Map Online Support Contact Web Policies IP Policy

Return to MyStandards Print

MyStandards

ASTM D5093-02(2008)

D5093-02(2008) Standard Test Method for Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed Inner Ring

Active Standard Developed by Subcommittee: D18.04 | Book of Standards Volume: 04.08

Users Also Downloaded: D3385

Download Active Standard (PDF) [more info](#) 7 pages

Download Active + Redline (counts as 1 download) [more info](#) 14 pages

[D18.04](#) (view previous versions of standard)

More D18.04 Standards Related Products

Find Labs Copyright/Permissions

Significance and Use

This test method provides a means to measure low infiltration rates associated with fine-grained, clayey soils, and are in the range of 1×10^{-7} m/s to 1×10^{-9} m/s.

This test method is particularly useful for measuring liquid flow through soil moisture barriers such as compacted clay liner or covers used at waste disposal facilities, for canal and reservoir liners, for seepage blankets, and for amended soil liners such as those used for retention

- MyChoices
- Digital Library Home
- Change Password
- Help
- ASTM Home

点击下载

标准的编号
标准的类型



DOWNLOAD ACCESS SUMMARY

Access Granted



[DOWNLOAD ACTIVE D5093 HERE \(This document contains 7](#)

[pages\).](#)

← 确认下载

Your access account has been modified to reflect the above download(s). To view your updated account summary, [click here](#).

If you are new to downloading and saving PDF files on the Web, please review the Download/Save Instructions for your web browser below:

- [Download/Save Instructions](#)

[Help Desk](#)

[Return to Subscriptions Search](#)

Bookmarks

- Scope
- Referenced Documents
- Terminology
- Summary of Test Method
- Significance and Use
- Apparatus
- FIG. 1
- FIG. 2
- Test Site
- Procedure
- FIG. 3
- Calculation
- Report



Designation: D 5093 – 02 (Reapproved 2008)

Standard Test Method for Field Measurement of Infiltration Rate Using Double-Ring Infiltrometer with Sealed-Inner Ring¹

This standard is issued under the fixed designation D 5093; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last approval. A superscripted epsilon (ϵ) indicates an editorial change since the last revision or approval.

1. Scope
 - 1.1 This test method describes a procedure for measuring the infiltration rate of water through in-place soils using a double-ring infiltrometer with a sealed inner ring.
 - 1.2 This test method is useful for soils with infiltration rates in the range of 1×10^{-7} m/s to 1×10^{-10} m/s. When infiltration rates $\geq 1 \times 10^{-7}$ m/s are to be measured Test Method D 3385 shall be used.
 - 1.3 All observed and calculated values shall conform to the guide for significant digits and rounding established in Practice D 6026.
 - 1.3.1 The method used to specify how data are collected, calculated, or recorded in this standard is not directly related to the accuracy to which the data can be applied in design or other uses, or both. How one applies the results obtained using this standard is beyond its scope.
 - 1.4 This test method provides a direct measurement of infiltration rate, not hydraulic conductivity. Although the units of infiltration rate and hydraulic conductivity are similar, there is a distinct difference between these two quantities. They cannot be directly related unless the hydraulic boundary conditions, such as hydraulic gradient and the extent of lateral flow of water are known or can be reliably estimated.
 - 1.5 This test method can be used for natural soil deposits, recompacted soil layers, and amended soils such as soil bentonite and soil lime mixtures.
 - 1.6 The values stated in SI units are to be regarded as
2. Referenced Documents
 - 2.1 ASTM Standards:²
 - D 653 Terminology Relating to Soil, Rock, and Contained Fluids
 - D 3385 Test Method for Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer
 - D 3740 Practice for Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction
 - D 6026 Practice for Using Significant Digits in Geotechnical Data
3. Terminology
 - 3.1 Definition:
 - 3.1.1 infiltration—downward entry of liquid into a porous body.
 - 3.1.2 infiltration rate, I —quantity of liquid entering a porous material (m^3) per unit area (m^2) per unit time (s), expressed in units of m/s .
 - 3.1.3 infiltrometer—a device used to pond liquid on a porous body and to allow for the measurement of the rate at which liquid enters the porous body.
 - 3.1.4 For definitions of other terms used in this test method, see Terminology D 653.
4. Summary of Test Method
 - 4.1 The infiltration rate of water through soil is measured

Copyright by ASTM Int'l (all rights reserved); Wed Dec 30 02:00:08 EST 2009
 Downloaded/printed by Rudy Teng (Hinton Information Services) pursuant to License Agreement. No further reproductions authorized.

¹ This test method is under the jurisdiction of ASTM Committee D18 on Soil and Rock and is the direct responsibility of Subcommittee D18.04 on Hydrologic Properties and Hydraulic Barriers. Current edition approved Sept. 1, 2008. Published September 2008. Originally approved in 1960. Last previous edition approved in 2002 as D 5093 – 02.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For Annual Book of ASTM Standards volume information, refer to the standard's Document Summary page on the ASTM website.

下载之标准文件，每页之页缘均会显示

1. Copyright by ASTM International
2. 标准下载之日期 / 时间
3. 订购单位之名称与主要 联络人

Digital Library

数字图书馆



数据类型

ASTM数位图书馆包含了在ASTM 的大量技术图书和期刊中发表的所有文章、论文以及图书。

- 50,000+余种的专业技术报告;
- 60+种的手册和专著;
- 15,000+余篇的期刊文章;
- 30,000+余份独立章节;
- 143+种主题。
- 1,500+ 电子书



期刊介绍

提供全面的检索权限，范围超过15,000 篇论文。

- **ASTM 国际期刊 (JAI)**

提供 ASTM 最新的技术论文，包括材料性能和特征、土木工程和建筑材料、石油化工、核能、环境工程、医疗卫生与安全、以及通用技术等。

- **岩土技术试验杂志 (GTJ)**

提供最新的论文、技术报告与实际案例。其文章涵盖了野外勘探、现场试验、土壤和岩石结构测试与监测、试验室试验以及模型试验等等。

- **测试与评估杂志 (JOTE)**

提供对材料性能、定量表征和评估的现场试验和实验室中得到的技术数据。
涉及建筑材料、金属、土工材料、聚合物和橡胶、复合材料等。

- **法医学杂志：回溯性期刊 (1972-2005)**


包括关于人类学、刑事侦察学、工程技术、法理学、牙科学、病理学/生物学、精神病学、可疑文件检验和毒理学领域等。

Digital Library 检索

点选Home进入搜索主画面

=>技术报告.
期刊.手册.专著
=>设定字段, 缩小检索结果

输入关键词
提供AND/ OR
搜索方式,也可
以用+/- 取代



ASTM DL 提供多元化检索技巧与浏览方法:

- 依照关键词作检索
- 依15大主题领域. 浏览
- 依ASTM委员会代码出版品浏览
- 依讨论会主题作浏览
- 浏览电子书、电子期刊



搜索结果

Search Results:

Active Standard(s): Result(s) 1 through 3 of 1980 results.

Download Selected

All Versions	Designation	Title	Select PDF (s)
View	E1019-08	Standard Test Methods for Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques	<input type="checkbox"/>
E1019 - 08 Standard Test Methods for Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel , Iron , Nickel, and Cobalt Alloys by Various Combustion and ...			
View	B795-07	Standard Test Method for Determining the Percentage of Alloyed or Unalloyed Iron Contamination Present in Powder Forged (PF) Steel Materials	<input type="checkbox"/>
... present in powder forged low-alloy steel materials and the percentage of alloyed iron contamination in powder forged iron and carbon steel materials. ...			
View	B699-86 (2008)	Standard Specification for Coatings of Cadmium Vacuum-Deposited on Iron and Steel	<input type="checkbox"/>
B699-86(2008) Standard Specification for Coatings of Cadmium Vacuum-Deposited on Iron and Steel cadmium coatings, vacuum deposited, vacuum deposited coatings ...			

[Show All Active](#)

Historical Standard(s): 3540 results.

[Show All Historical](#)

Withdrawn Standard(s): 64 results.

[Show All Withdrawn](#)

Workitems Standard(s): 161 results.

[Show All Workitems](#)

Journals/Books : Result(s) 1 through 5 of 5370 results.

Download Selected

Application of Inductively Coupled Plasma Atomic Fluorescence Spectrometry in the Steel Industry	<input type="checkbox"/>
Lancione R., Drew D.	
July 1984	JTE (July 1984) Volume 12, Issue 4 10.1520/JTE107131
... steel low alloy steel stainless steel low alloy steel low alloy steel stainless steel slag low alloy steel low alloy steel stainless steel iron ore low alloy ...	
A Metallurgical Examination of Control-Cooled, Carbon-Steel Rails with Service-Developed Defects	<input type="checkbox"/>
Sonon D., Pellegrino J., Wandrisco J.	
January 1978	STP644 10.1520/STP271055
... 3i. References [/] [2] [i] [4] [5] [6] [7] [≪] Uhrus, L. O., Clean Steel , Iron and Steel Institute Special Report 77, London, 1963, pp. 104-109. ...	
Crack Growth Retardation in Two Low-Strength Materials Under Displacement Controlled Cyclic Loading	<input type="checkbox"/>
Kapp J., Underwood J., Zalinka J.	
January 1979	STP676 10.1520/STP374235
... 0.12 0.18 Cycles Applied 12 93 10 76 000 000 000 000 Crack Fracture Growth, Aε Required, mm mm 0.2 9.4 0.5 8.9 2.3 2.3 1.4 1.3 Material Steel Iron Specimen S ...	
Ignition of Steel Alloys by Impact of Low-Velocity Iron/Inert Particles in Gaseous Oxygen	<input type="checkbox"/>
Williams R., Benz F., McIlroy K.	
January 1988	STP986 10.1520/STP267405
... 5. Also included LEGEND ODA 0 V 'LINDE' LEGEND 'WECNER' OAD LEGEND 'WSTF' 304 STAINLESS STEEL CAST IRON STEEL IRON POWDER IRON FILINGS AND SLAG 39 INJECTED IN ...	



Journals 期刊



Standards Worldwide - Home

MyChoices

Digital Library Home

Change Password

Help

ASTM Home

Logout Site Map Online Support Contact Web Policies IP Policy

Print View Shopping Cart

ASTM Standards and Engineering Digital Library

Home Standards Journals Symposia Papers STPs Manuals Terminology Dictionary

Digital Library / Journals

Stay up-to-date on the daily findings, research, and experiences of your colleagues. Peer reviewed and edited, these high-quality, market-relevant papers keep you in-the-know and provide an insiders view into what others are studying and discovering.

- Geotechnical Testing Journal (GTJ)
- Journal of ASTM International (JAI)
- Journal of Cement, Concrete and Aggregates (CCA)
- Journal of Composites, Technology and Research (JCTR)
- Journal of Forensic Sciences 1972-2005 (JOFS)
- Journal of Testing and Evaluation (JTE)

可点选期刊，查看文章摘要与下载全文档案



Symposia Paper – STPs

会议纪录报告

- 会议纪录报告为技术论文，以 **ASTM** 的 **140** 个技术委员会主办的研讨会为基础，反映了全球最新技术的研究成果。并提供对于制定新标准的技术及见解，包含诸如环境、石油、金属、建筑、机械工程等领域。
- **1400**多种的专业技术报告



Symposia Paper – STPs

会议纪录报告

- [ASTM Home](#)
- [MyChoices](#)
- [Change Password](#)
- [Renew Your Membership](#)
- [Help](#)



Digital Library / STPs

STPs, Special Technical Publications, are collections of peer-reviewed papers.

最新发表

Recently Published STPs

- [STP1503](#) Common Ground, Consensus Building and Continual Improvement: Standards and Sustainable Building First International Symposium
- [STP1478](#) Pesticide Formulations & Delivery Systems, 26th Volume: Reassessing Pesticide Technologies
- [STP1489](#) Oxidation and the Testing of Turbine Oils
- [STP1491](#) Engine Coolant Technologies: 5th Volume
- [STP1492](#) Effects of Radiation on Materials: 23rd International Symposium

[Most Recent 25](#) [ALL](#)

Browse STPs

- [Topic](#)
- [Year](#)

依照主题,日期



浏览模式

ASTM Digital Library

Home

Journals

STPs

Manuals

Topics

Digital Library / Journal of ASTM International

Journal of ASTM International

[Volume 5, Issue 5 \(May 2008\)](#)

[Volume 5, Issue 4 \(April 2008\)](#)

[Volume 5, Issue 3 \(March 2008\)](#)

[Volume 5, Issue 2 \(February 2008\)](#)

[Volume 5, Issue 1 \(January 2008\)](#)

[Most Recent 25](#)

[ALL](#)

[Browse JAI](#)

[Topic](#)

[Year](#)



Digital Library / Browse JAI by Topic

[Iron and Steel Products](#)

[Nonferrous Metal Products](#)

[Metals Test Methods and Analytical Procedures](#)

[Construction](#)

[Petroleum Products, Lubricants, and Fossil Fuels](#)

[Paints, Related Coatings, and Aromatics](#)

[Textiles](#)

[Plastics](#)

[Rubber](#)

[Electrical Insulation and Electronics](#)

[Water and Environmental Technology](#)

[Nuclear, Solar, and Geothermal Energy](#)

[Medical Devices and Services](#)

[General Methods and Instrumentation](#)

[General Products, Chemical Specialities, and End Use Products](#)



单篇下载跟完整下载

Digital Library / STP / STP1509-EB / STP489405

What We Do Not Know: Perspectives on Wall-Window Combinations and Performance Assurance We Have Yet to Address

Mathis, R. Christopher
MC2 Mathis Consulting Co., Asheville, NC

Johnson, Steve
Andersen Corporation, Bayport, MN

Pages: 11 Published: Jan 2010

[Click here to download this paper now PDF \(95K\)](#) [View License Agreement](#)

[Click here to download the complete source publication](#)

Source: [STP1509-EB](#)

Abstract

Collaborative efforts over several years resulted in the development of ASTM E2112, "Standard Practice for the Installation of Exterior Windows, Doors and Skylights". Individuals from the window, sealant, and air barrier industries were involved in the development of the standard. Development of the standard was driven by a desire to reduce water leakage attributed to window installation practices, particularly in residential and light commercial construction. A consensus document

单篇下载

完整下载

Related Standards

E283-04 Standard Test Method for Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen

E330-02 Standard Test Method for Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference

E331-00(2009) Standard Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference



手册 Manuals

- 提供读者实验操作的图书，附有大量插图以及相关信息的参考文献。某些手册提供 **ASTM** 产业标准的“幕后”细节，包含如何制定的以及制定的原因，了解每项产业标准的意义与用途等。书中并说明实验的技巧与相关实用的建议。



专著 Monographs

- 专业技术人员的参考文献，内容论述很多以技术性为内容的主题。专著通常聚集在一个大型的主题，也可以称之为特定主题。专门为技术精湛的读者提供专业领域的宝贵理论。



专著、手册 – Monographs, Mannuals

- [ASTM Home](#)
- [MyChoices](#)
- [Change Password](#)
- [Renew Your Membership](#)
- [Help](#)



Digital Library/Manuals and Monographs

Get practical, hands-on application information (Manuals) or advanced and highly technical information (Monographs) from highly-regarded experts in their respective fields.

Recently Published Manuals and Monographs

最新发表

- [MNL5](#) Aviation Fuel Quality Control Procedures: 4th Edition
- [MNL51](#) Distillation and Vapor Pressure Measurement in Petroleum Products
- [MNL61](#) Guide to ASTM Test Methods for the Analysis of Coal and Coke
- [MONO7](#) Physics and Chemistry of Micro-Nanotribology
- [MNLTP15](#) Manual of Petroleum Measurement Standards Chapter 11-Physical Properties Data, Section 2, Part 5

[Most Recent 25](#) [ALL](#)

Browse Manuals and Monographs

- [Topic](#)
- [Year](#)

依照主题,日期



文章内容

Home

Standards

Journals

Symposia Papers
STPs

Manuals

Terminology
Dictionary

Digital Library / Journals / Geotechnical Testing Journal (GTJ) / Citation Page

Volume 32, Issue 6 (November 2009)

ISSN: 0149-6115

Published Online: 5 October 2009

Page Count: 16

[Click here to download this paper](#) PDF (696K)

[View License Agreement](#)

New Methodology for Source Characterization in Pulse Velocity Testing

Tallavó, Fernando

Research Assistant, Civil and Environmental Engineering Dept., Univ. of Waterloo, ON,

Cascante, Giovanni

Associate Professor, Civil and Environmental Engineering Dept., Univ. of Waterloo, ON,

Pandey, Mahesh D.

Professor, Civil and Environmental Engineering Dept., Univ. of Waterloo, ON,

(Received 7 February 2008; accepted 17 August 2009)

Abstract

The pulse velocity test (PVT) is an ASTM standard for the measurement of compressional wave velocities in geomaterials. The PVT is based only on the first arrival of the wave. Full-waveform analysis can be used to measure the variation in geomaterial properties with frequency but requires the dynamic characteristics of the transducers. This paper presents a new methodology for the dynamic characterization of ultrasonic transmitters based on experimental and numerical results. Different types of excitation pulses (input signals) are used, and their theoretical Fourier spectra are computed. The methodology is demonstrated using a piezoelectric accelerometer to measure the frequency response function of an ultrasonic transmitter (UT) (50 kHz)

Related Standards

[D3999-91\(2003\)](#)

Standard Test Methods for the Determination of the Modulus and Damping Properties of Soils Using the Cyclic Triaxial Apparatus

[D4015-07](#) Standard Test Methods for Modulus and Damping of Soils by Resonant-Column Method

[D4428/D4428M-07](#)

Standard Test Methods for Crosshole Seismic Testing

[D5311-92\(2004\)e1](#)

Standard Test Method for Load Controlled Cyclic Triaxial Strength of Soil

[D7400-08](#) Standard Test

Method for Seismic Testing

← 点击下载

← 相关参考文件

文章下载



DOWNLOAD ACCESS SUMMARY



Access Granted **DOWNLOAD DOCUMENT GTJ101689-DL HERE (This document contains 16 pages).**


Your access account has been modified to reflect the above download(s). To view your updated account summary, [click here](#).

If you are new to downloading and saving PDF files on the Web, please review the Download/Save Instructions for your web browser below:

- [Download/Save Instructions](#)

[Help Desk](#)

[Return to Subscriptions Search](#)



Geotechnical Testing Journal, Vol. 32, No. 6
Paper ID GTJ101689
Available online at: www.astm.org

Fernando Tallavó,¹ Giovanni Cascante,² and Mahesh D. Pandey³

New Methodology for Source Characterization in Pulse Velocity Testing

ABSTRACT: The pulse velocity test (PVT) is an ASTM standard for the measurement of compressional wave velocities in geomaterials. The PVT is based only on the first arrival of the wave. Full-waveform analysis can be used to measure the variation in geomaterial properties with frequency but requires the dynamic characteristics of the transducers. This paper presents a new methodology for the dynamic characterization of ultrasonic transmitters based on experimental and numerical results. Different types of excitation pulses (input signals) are used, and their theoretical



联络方式

讯泰管理顾问（上海）有限公司
Hinton Information Services

联络人：郭英君

电话：**021-50592439-122**

邮箱：**lucy.guo@hintoninfo.com**

